Boston CONUS	Temporary Timeframe Waiver Location of incident response activity / timeframe			Resource provider status / response activity timeframe			
SMFF PROVIDER COMPANY & CONTRACTED RESOURCES Updated semiannually SALVAGE	Time (Years) OR Waiver End Date	Pier (hours)	CONUS: nearshore area; inland waters; Great Lakes (hours)	CONUS: offshore area (hours)	PIER	NEARSHORE	OFFSHORE
Assessment & Survey:	MAX		REGULATORY REQU	IREMENT	сом	PANY AND CONTRACTED	CAPABILITY
Remote assessment and consultation	N/A		1	1		R1, S3	R1, S3
Begin assessment of structural stability	1		3	3		R1, S3	R1, S3
3. On-site salvage assessment	1		6	12		R1, S3	R1, S3
4. Assessment of structural stability	1		12	18		R1, S3	R1, S3
5. Hull and bottom survey Stabilization:	2		12 REGULATORY REQU	18 IREMENT	R1, S3 R1, S3 COMPANY AND CONTRACTED CAPABILITY		
6. Emergency towing (See towing vessel table)	NOTE		12	18		see towing vessel table	see towing vessel table
7. Salvage plan	3		16	22		R1, S3	R1, S3
8. External emergency transfer operations	3 N/A		18	24		R1, S3	R1, S3
9. Emergency lightering	N/A 3		18 18	24 24		R1, S3	R1, S3
10. Other refloating methods 11. Making temporary repairs	3		18	24		R1, S3 R1, S3	R1, S3 R1, S3
12. Diving services support	3		18	24		R1, S3	R1, S3
Specialized Salvage Operations:			REGULATORY REQU	IREMENT_	сом	PANY AND CONTRACTED	·
13. Special salvage operations plan	5		18	24		R1, S3	R1, S3
14. Subsurface product removal	5		72	84		R1, S3	R1, S3
15. Heavy lift/1/ (See description 1.)	N/A		Estimate 1	Estimate 2		R1 (48hrs- 21days)	R1 (48hrs-21days)
MARINE FIREFIGHTING							
Assessment & Planning: 16. Remote assessment and consultation	N/A	1	REGULATORY REQU	IREMENT 1	R1, S3	R1, S3	R1, S3
17. On-site fire assessment	1	2	6	12	R1, S1, S3	R1, S1, S3	R1, S1, S3
			-		,,	111, 21, 22	,,
Fire Suppression:			REGULATORY REQU	IREMENT	сом	PANY AND CONTRACTED	CAPABILITY
18. External firefighting teams	4	4	8	12	R1, S1, S3	R1, S1, S3	R1, S1, S3
19. External vessel firefighting systems	4	4	12				
		-		18	R1, S1, S3	R1, S1, S3	R1, S1, S3
/1/ Heavy lift services are not required to have definite hours for a response and an estimated response time when these services are required		olanholder r	nust still contract for h	eavy lift services, pro	vide a description	on of the heavy lift	R1, S1, S3
/1/ Heavy lift services are not required to have definite hours for a res	. However, none o	planholder r f the timefra Bostor	nust still contract for h	neavy lift services, pro §155.4030(b) will apply	vide a description	on of the heavy lift s.	R1, S1, S3
/1/ Heavy lift services are not required to have definite hours for a response and an estimated response time when these services are required.	. However, none o	Bostor F PROVID	nust still contract for hames listed in the table	neavy lift services, pro §155.4030(b) will apply	vide a description	on of the heavy lift s.	R1, S1, S3
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required. SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC	SMF	Bostor F PROVID	nust still contract for homes listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT	vide a description	Boston KEY CONUS	
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700	SMF Largest tank -this Heaviest Oil	Bostor F PROVID	nust still contract for hames listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT	vide a descriptic to these services	Boston KEY CONUS	NLABLE
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required. SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC	SMF	Bostor F PROVID	nust still contract for homes listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT	vide a description	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pri Subcontractor - Priva	MLABLE ovider te
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700	SMF Largest tank -this Heaviest Oil Required pumping	Bostor F PROVID	nust still contract for hames listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT	vide a descriptic to these services	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pre Subcontractor - Prival Consent - Public Res	AILABLE ovider te ources
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com	SMF Largest tank -this Heaviest Oil Required pumping	Bostor F PROVID zone g capacity R1	nust still contract for homes listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude *534,501	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h	vide a descriptic to these services	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pri Subcontractor - Priva	AILABLE ovider te ources
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700	SMF Largest tank -this Heaviest Oil Required pumping Sources:	Boston Zone g capacity R1 Boston	nust still contract for hames listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h	vide a descriptic to these services	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pre Subcontractor - Prival Consent - Public Res	NILABLE ovider te ources AINED
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT	SMF Largest tank -this Heaviest Oil Required pumping Sources:	Bostor F PROVIDI Bostor F PROVIDI Bostor F PROVIDI Bostor F PROVIDI	nust still contract for homes listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude *534,501	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h B) E PUMPS	vide a descriptic to these services	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pri Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description P	MILABLE ovider te ources AINED rovided rovided
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S	Bostor R1 Bostor F PROVIDI Scapacity R1 Bostor F PROVIDI Bostor R1 Bostor F PROVIDI Branch Bostor F PROVIDI Branch	nust still contract for homes listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude *534,501 1 33 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG	vide a descriptic to these services	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Privat Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro	MILABLE ovider te ources AINED rovided rovided
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required. SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate*	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this	Bostor F PROVIDI ZONE Bostor F PROVIDI ZONE Bostor F PROVIDI Bostor F PROVIDI Bostor F PROVIDI Language Bostor F PROVIDI L	nust still contract for homes listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude *534,501 1 33 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG	vide a description to these services	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED	MLABLE ovider te ources AINED rovided rovided
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S	Bostor F PROVIDI Zone G capacity R1 Bostor F PROVIDI Street, East Bo Zone	nust still contract for homes listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude *534,501 1 33 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons	vide a descriptic to these services	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Privat Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro	MLABLE ovider te ources AINED rovided rovided
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required. SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate*	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qt	Bostor F PROVIDI Zone G capacity R1 Bostor F PROVIDI Street, East Bo Zone	nust still contract for rames listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude *534,501 1 33 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons	vide a description to these services R1 DATE	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pre Subcontractor - Privat Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected sool	AILABLE ovider te ources AINED rovided rovided vided n
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	nust still contract for rames listed in the table 1 - 33 CFR 155.4030 ER - TRANSFER EQ *12,828,024 crude *534,501 1 33 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons	R1 DATE SMFF PROVIDE	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected sooi GAP Boston - 33 CFR 155 DER - SUBSURFACE	MLABLE ovider te ources AINED rovided rovided vided n
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	R1 DATE SMFF PROVIDE Resouces to rem 40 to 150 feet d	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected soot GAP Boston - 33 CFR 155	AILABLE ovider te ources AINED rovided rovided vided n .4030(h) EXTERNAL PUMPS aters
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	R1 DATE SMFF PROVID Resouces to rem 40 to 150 feet d Sources:	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pri Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Prov NOT COVERED GAP - Corrected sooi GAP GOSTON - 33 CFR 155 DER - SUBSURFACE Tove cargo and fuel in wieep are available in this R1	AILABLE ovider te ources AINED rovided rovided vided n .4030(h) EXTERNAL PUMPS aters
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	DATE SMFF PROVIE Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Privat Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected sool GAP Boston - 33 CFR 155 DER - SUBSURFACE Tove cargo and fuel in waive pare available in this R1 PITION 1	MILABLE ovider te ources AINED rovided rovided rovided n .4030(h) EXTERNAL PUMPS aters zone:
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	DATE SMFF PROVIE Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pri Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Prov NOT COVERED GAP - Corrected sooi GAP GOSTON - 33 CFR 155 DER - SUBSURFACE Tove cargo and fuel in wieep are available in this R1	MILABLE ovider te ources AINED rovided rovided rovided n .4030(h) EXTERNAL PUMPS aters zone:
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	R1 DATE SMFF PROVIE Resouces to rem 40 to 150 feet d' Sources: ATTACH DESCRI 1. Description	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Privat Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected sool GAP Boston - 33 CFR 155 DER - SUBSURFACE Tove cargo and fuel in waive pare available in this R1 PITION 1	AILABLE ovider te ources AINED rovided rovided vided n .4030(h) EXTERNAL PUMPS atters zone:
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	R1 DATE SMFF PROVII Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable and/o to this COTI	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected soot GAP Boston - 33 CFR 155 DER - SUBSURFACE Tove cargo and fuel in weep are available in this R1 PTION 1 of Heavy Lift capability r floating heavy lift asser	AILABLE ovider te ources AINED rovided rovided vided vided n .4030(h) EXTERNAL PUMPS aters zone: y for this zone:
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	R1 DATE SMFF PROVII Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable and/o to this COTI	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected soot GAP Boston - 33 CFR 155 DER - SUBSURFACE Tove cargo and fuel in weep are available in this R1 PTION 1 of Heavy Lift capability r floating heavy lift asse P zone arriving at the for	AILABLE ovider te ources AINED rovided rovided vided vided n .4030(h) EXTERNAL PUMPS aters zone: y for this zone:
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	DATE BATE SMFF PROVIE Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable and/o to this COTI timeframes	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Prival Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected soot GAP Boston - 33 CFR 155 DER - SUBSURFACE Tove cargo and fuel in weep are available in this R1 PTION 1 of Heavy Lift capability r floating heavy lift asse P zone arriving at the for	MILABLE ovider te ources AINED rovided rovided rovided n .4030(h) EXTERNAL PUMPS aters zone: y for this zone:
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	DATE BATE SMFF PROVIE Resouces to rem 40 to 150 feet d Sources: ATTACH DESCRI 1. Description Portable and/o to this COTI timeframes	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Privat Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected sool GAP Boston - 33 CFR 155 DER - SUBSURFACE Tove cargo and fuel in waive pare available in this R1 PTION 1 of Heavy Lift capability r floating heavy lift asse P zone arriving at the fet : AIR-48 HRS/TRUCK-72	MILABLE ovider te ources AINED rovided rovided rovided n .4030(h) EXTERNAL PUMPS aters zone: y for this zone:
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	R1 PATE BESMFF PROVIE Resouces to rem 40 to 150 feet d' Sources: ATTACH DESCRI 1. Description Portable and/o to this COT timeframes	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Privat Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected sool GAP Boston - 33 CFR 155 DER - SUBSURFACE Tove cargo and fuel in waive pare available in this R1 PTION 1 of Heavy Lift capability r floating heavy lift asse P zone arriving at the fet : AIR-48 HRS/TRUCK-72	A/LABLE ovider te ources A/NED rovided rovided vided n .4030(h) EXTERNAL PUMPS atters zone: y for this zone: ets could be dispatched ollowing estimated 2 HRS/SEA-21 DAYS meframe
/1/ Heavy lift services are not required to have definite hours for a respression and an estimated response time when these services are required SMFF PROVIDER 155.4030(a) required, Boston T&T Salvage, LLC 24 Hour Emergency Response 713-534-0700 www.ttsalvage.com Boston - 33 CFR 155.4030(g) SMFF PROVIDER - EXTINGUISHING AGENT QUANTITY / TYPE 2134 gallons / 3% foam concentrate* 1100 gal AFFF 3% / 404 Border Street, East Boston, MA 02128 Sources: R1, S1 Boston - 33 CFR 155.4030(e)	SMF Largest tank -this Heaviest Oil Required pumping Sources: SMF 404 Border S Largest deck -this Lgst calculated qtv Required pumping Sources:	Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1 Bostor F PROVID Zone G capacity R1	*12,828,024 *12,828,024 *12,828,024 *534,501 *133 CFR 155.4030(ER - EXTERNAL FIR ston, MA 02128 / MARIFLE *222,331 *71,146 *213,438	eavy lift services, pro §155.4030(b) will apply (f) UIPMENT gallons g/p/h E PUMPS EX 3250 GPM RMG sq ft gallons g/p/h	R1 PATE BESMFF PROVIE Resouces to rem 40 to 150 feet d' Sources: ATTACH DESCRI 1. Description Portable and/o to this COT timeframes	Boston KEY CONUS CONTRACTED-AVA Primary Resource Pro Subcontractor - Priva Consent - Public Res COVERED & EXPLA Further Description P Waiver Information Pro NOT COVERED GAP - Corrected soot GAP Boston - 33 CFR 155 DER - SUBSURFACE To the available in this R1 PTION 1 of Heavy Lift capability r floating heavy lift asse P zone arriving at the fet AIR-48 HRS/TRUCK-72 orary Waiver from Tie	A/LABLE ovider te ources A/NED rovided rovided vided n .4030(h) EXTERNAL PUMPS atters zone: y for this zone: ets could be dispatched ollowing estimated 2 HRS/SEA-21 DAYS meframe

SMFF PROVIDER and Subcontracted Resource Providers							
PRIM	IARY RESOURCE PROVIDER	NAME	LOCATION	24-HR PHONE	FAX	WEBSITE URL	
R1	T&T Salvage, LLC	DeeAnn Ebanks	Panama City, FL/ Houston, TX	713-534-0700		www.ttsalvage.com	
R1	T&T Salvage, LLC	JoAnn Henzel	Ft Lauderdale, FL	713-534-0700		www.ttsalvage.com	
R1	T&T Salvage, LLC	Mauricio Garrido	Houston, TX	713-534-0700		www.ttsalvage.com	
R1	T&T Salvage, LLC	Jim Elliott	Houston, TX	713-534-0700		www.ttsalvage.com	
R1	T&T Salvage, LLC	Mike Popa	Detroit, MI	713-534-0700		www.ttsalvage.com	
R1	T&T Salvage, LLC	Eli Todich	Houston, TX	713-534-0700		www.ttsalvage.com	
	Subcontractors						
S1	Resolve Salvage & Fire (Americas) Inc	Bryan Alonso	Fort Lauderdale, FL	954-764-8700	954-764-8724	www.resolvemarine.com	
S3	T&T Marine Salvage, Inc.		Galveston, TX	409-744-1222		www.tandtmarine.com	
OTHE	R CONTRACTED PROVIDERS	NAME	LOCATION	24-HR PHONE	FAX	WEBSITE URL	
01							
·							
	Public Resources	NAME	LOCATION	24-HR PHONE	COTP ZONE	JURISDICTION LIMITS	
P1							
P2							

DESCRIPTION: Resource provider status / response activity timeframe

Use this notation to describe estimated response time when it is longer than required, or outside required area

N/A Time Estimate Response Description

LIST OF ATTACHMENTS Description of CoverageN/A

		PIER RESPONSE	PIER RESPONSE	
Boston		Firefighters able	Firefighters able	
SMFF PROVIDER & CONTRACTED		to respond in 2	to respond in 4	
RESOURCES		hours OR	hours OR	
CITY	Description	WAIVER	WAIVER	Public Firefighter Jurisdiction Limits
Boston, MA		R1, S1	R1, S1	
Chelsea, MA		R1, S1	R1, S1	
Everett, MA		R1, S1	R1, S1	
Gloucester, MA		R1, S1	R1, S1	
Quincy, MA		R1, S1	R1, S1	
Revere, MA		R1, S1	R1, S1	
Salem, MA		R1, S1	R1, S1	

The information contained herein is for planning purposes only. No warranty, expressed or implied, is made regarding the accuracy, adequacy, completeness, reliability or usefulness of the information. During a drill or actual emergency, the preservation of life and the environment will always take precedence; therefore, T&T Salvage reserves the right to utilize subcontracted resources that will lead to the most expeditious and effective response.